



Comfortable and ergonomic harness equipped with six attachment points and specifically developed for rope access work.

#### Main features:

- close-fitting construction and wide lumbar support belt with breathable mesh padding for optimal comfort during prolonged suspensions;
- contoured shoulder straps with shape optimized to avoid neck chafing;
- shoulder strap equipped with quick-release buckle;
- leg-loop quick-release buckles with indicator for correct insertion;
- leg-loops designed with targeted panel construction to ensure optimal comfort while in suspension by relieving pressure in the groin area;
- adjustable rear straps that allow the leg loops to be moved along the legs;
- large EN 361 sternal attachment point to facilitate rescue operations;
- EN 358 lateral attachment points with two positions: outward-facing when in use (work mode); inward-folded when not in use (stand-by mode) in order not to hamper the operator's movements;
- EN 361 dorsal attachment point designed to avoid accidentally getting snagged, especially while working in confined spaces;
- attachment point on the rear of the waistbelt, marked by the letter R and exclusively intended for the connection of a restraint lanyard;
- dedicated loop for quick-link, to be used for the addition of a ventral rope clamp in combination with appropriate straps;
- two horizontal straps positioned on the shoulder straps and exclusively intended for the insertion of [HOOK REST](#) support;
- two dedicated loops for the connection of a work-positioning seat;
- four large gear-loops, six loops for the tool-holder pouch and four slots for carrying-tools carabiners;
- maximum load: 140 kg.

**Warning! This product is affected by an inspection request: we kindly ask you to take note of the whole announcement on the dedicated page [24 May 2023 - GRYPHON](#).**

## TECHNICAL FEATURES

Maximum load 140  
kg

## STANDARD AND ADDITIONAL INFORMATION

EN 361:2002


EN 358:2018

EN 813:2008

CE 0333



## TABLES



Ref. No.	Size	Stature	A	B	Weight
7H174BC	S - M	160 ÷ 185 cm	60 ÷ 80 cm	45 ÷ 55 cm	1990 g
7H174CD	M - L	170 ÷ 190 cm	70 ÷ 100 cm	50 ÷ 60 cm	2080 g
7H174DE	L - XL	180 ÷ 205 cm	80 ÷ 120 cm	55 ÷ 70 cm	2180 g

# GRYPHON

REF.NO. 7H174



climbing  
technology

## GALLERY

